SENSORS AND ACTUATORS B VOLUME B15, AUGUST 1993

Contents

Preface ix

Chairman, Committees, Organizing Societies and Collaborating Institutions. x

List of awarded communications xiii

Chemical Sensors Plenary Lectures

Speech Eurosensors VI, San Sebastián, October 5–7, 1992. 1
A. Garcia Arroyo (Brussels, Belgium)

Sensor R&D in the former Soviet Union 6
Yu. G. Vlasov (Saint Petersburg, Russian Federation)

Chemical Sensors

Gas sensors for high temperature operation based on metal oxide silicon carbide (MOSiC) devices 19
A. Arbab, A. Spetz and I. Lundström (Linköping, Sweden)

A new approach to selectivity in methane sensing 24
P. Dutronc, C. Lucat, F. Ménil (Talence, France), M. Loesch and L. Combes (La Plaine Saint Denis, France)

Integrated tin oxide sensors of low power consumption for use in gas and odour sensing. 32
P. Corcoran, H. V. Shurmer and J. W. Gardner (Coventry, UK)

The characterisation of semiconductor gas sensors: a critical comparison of in-house, pre-production and commercial devices 38
A. A. Mousa-Bahia, G. S. V. Coles (Swansea, UK) and M. J. Willett (Burton-on-Trent, UK)

Sensors for monitoring environmental pollution 45
H. Meixner, J. Gerblinger and M. Fleischer (Munich, Germany)

Atmosphere-dependent potentials at oxide interfaces. 55
A. A. Arias de Velasco, P. T. Moseley, R. Peat and J. G. Peláez (Didcot, UK)

A new SnO_2 low temperature deposition technique for integrated gas sensors. 63
V. Demarne and A. Grisel (Neuchâtel, Switzerland)

An ISFET-FIA system for high precision pH recording. 68
P. Woias, S. Koch, E. Müller (Munich, Germany), D. Barrow, J. Cefai, G. Curtis and H. Hughes (Cardiff, UK)

High sensitivity CMOS humidity sensors with on-chip absolute capacitance measurement system 75
T. Boltshauser, C. Azeredo Leme and H. Baltes (Zurich, Switzerland)

Bilayer membrane for ISFETs to eliminate CO_2 mediated pH sensitivity 81
J. Shaw (Hayes, UK)

Detection of sub-ppm H_2S concentrations by means of SnO_2(Pt) thin films, grown by the RGTO technique 86
G. Sberveglieri, S. Groppelli, P. Nelli, C. Perego (Brescia, Italy), G. Valdré (Bologna, Italy) and A. Camanzi (Monterotondo (Rome), Italy)

Mössbauer and microstructural studies of iron phthalocyanine as a potential gas sensor 90
J. K. O'Rourke, J. S. Brooks, N. A. Bell, J. Cawley and S. C. Thorpe (Sheffield, UK)

Hall coefficient measurements for SnO_2 doped sensors, as a function of temperature and atmosphere 98
F. J. Gutiérrez, L. Arés, J. I. Robla, J. M. Getino, M. C. Horrillo, I. Sayago and J. A. de Agapito (Madrid, Spain)

Fuzzy logic applied to gas sensors 105
J. A. de Agapito, L. de Agapito, M. Schneider, R. Garcia Rosa and T. de Pedro (Madrid, Spain)

Biosensors

Enzyme electrodes for the determination of carbohydrates in food 113
U. Bilitewski, A. Jäger, P. Rüger and W. Weise (Braunschweig, Germany)

Application of an automated quasi-continuous immuno flow injection system to the analysis of pesticide residues in environmental water samples. 119
C. Wittmann and R. D. Schmid (Braunschweig, Germany)

Elsevier Sequoia

Covalent immobilizaiton of glucose oxidase on silanized platinum microelectrode for the monitoring of glucose 127
A. Nyamsi Hendji (Ecully, France), P. Bataillard (Basel, Switzerland) and N. Jaffrezic-Renault (Ecully, France)

Plant tissue biosensors for the determination of biogenic diamines and of their amino acid precursors: effect of carbonic anhydrase. 135
F. Botrè, C. Botrè, G. Lorenti, F. Mazzei (Rome, Italy), F. Porcelli and G. Scibona (Viterbo, Italy)

Fast determination of whole blood glucose with a calorimetric micro-biosensor 141
B. Xie, U. Hedberg, M. Mecklenburg and B. Danielsson (Lund, Sweden)

POSTERS

Electrochemical Sensors

Non-Nernstian potentiometric zirconia sensors: screening of potential working electrode materials 147
A. Vogel, G. Baier and V. Schüle (Heidelberg, Germany)

A connectionist approach to fuel cell sensor array processing for gas discrimination 151
D. R. Bull (Bristol, UK), G. J. Harris and A. B. Ben Rashed (Cardiff, UK)

Measurement of oxygen partial pressure using fully-sealed zirconia pump–gauge devices operated in the tracking mode. Part 2 162
M. Benammar and W. C. Maskell (London, UK)

Detection of CO_2 using a solid-state electrochemical sensor based on sodium ionic conductors 166
Y. Sadaoka, Y. Sakai and T. Manabe (Matsuyama, Japan)

Ionic Sensors in Solutions

A new double-jet cell for fast ion-sensitive electrodes 173
M. Attari, P. Fabry (Saint Martin d'Hères, France), H. Mallié and G. Quezel (Grenoble, France)

Construction and development of ion-selective electrodes responsive to anionic surfactants 179
J. Baró-Romà, J. Sánchez, M. del Valle, J. Alonso and J. Bartrolí (Bellaterra (Barcelona), Spain)

Thin-layer chemical sensors based on chemically deposited and modified chalcogenide glasses 184
A. V. Legin, E. A. Bychkov and Yu. G. Vlasov (Saint Petersburg, Russian Federation)

Ground water control system based on chemical sensors 188
J. Sander, F. Zuther and K. Cammann (Münster, Germany)

Iodide ion-sensitive field-effect structures. 192
M. J. Schöning, M. Bruns, W. Hoffmann, B. Hoffmann and H. J. Ache (Karlsruhe, Germany)

Effects of anionic sites on the selectivity of sodium-sensitive CHEMFETs 195
J. A. J. Brunink, J. G. Bomer, J. F. J. Engbersen, W. Verboom and D. N. Reinhoudt (Enschede, Netherlands)

Optimization of the sol–gel process for the development of optochemical sensors 199
S. C. Kraus, R. Czolk, J. Reichert and H. J. Ache (Karlsruhe, Germany)

Amperometric determination of copper using screen-printed electrodes 203
M. Somasundrum (Cranfield, UK) and J. V. Bannister (Cranfield, UK and Msida, Malta)

Semiconductor Structured Sensors

Modular setup for a miniaturzied chemical analysis system 211
B. H. van der Schoot, S. Jeanneret, A. van den Berg and N. F. de Rooij (Neuchâtel, Switzerland)

A new type of hybrid chemical sensor 214
F. Valdés-Perezgasga, S. Alegret, J. Alonso and J. Bartrolí (Bellaterra (Barcelona), Spain)

On-line determination of the degradation of ISFET chemical sensors 218
I. Gràcia, C. Cané, M. Lozano and J. Esteve (Bellaterra (Barcelona), Spain)

Flow injection analysis using pH/pF ISFET combinations for determination of very low fluoride concentrations 223
W. Moritz, F. Lisdat (Berlin, Germany), B. H. van der Schoot, N. F. de Rooij (Neuchâtel, Switzerland), H. H. van den Vlekkert, H. C. G. Ligtenberg (Roden, Netherlands) and I. Grohmann (Berlin, Germany)

A reference element based on a solid-state structure 228
F. Lisdat and W. Moritz (Berlin, Germany)

Investigation of sensor characteristics of chemical semiconductor sensors with impedance spectroscopy 233
J. Szeponik, W. Moritz (Berlin, Germany) and F. Sellam (Dresden, Germany)

Drift effects in transition metal gate MOS and MISFETs 238
I. Robins (Hayes, UK)